

Sprue/Celiac Disease



C A R I S D I A G N O S T I C S H E A L T H I M P R O V E M E N T S E R I E S

What is sprue/ceeliac disease? Sprue/ceeliac disease is an intestinal disorder that results from an exaggerated immune response to gluten (also called Gluten-Sensitive Enteropathy). Gluten is a protein found in wheat, rye and barley, and is present in many foods other than the obvious breads, cereals, and pastas. When people with sprue eat foods containing gluten, an allergic-like reaction by their immune system results in damage to the normal, tiny, fingerlike protrusions (villi) of the lining of the small intestine. Nutrients from food are normally absorbed into the bloodstream through these villi. Damage to the villi results in reduced and ineffective absorption. Because the body's own immune system causes the damage, sprue/ceeliac disease is considered an autoimmune disorder.

Who gets sprue/ceeliac disease? Sprue/ceeliac disease is an inherited disease found especially, but not exclusively in those of Northern European descent. Sprue/ceeliac disease is the most common genetic disease in Europe. Recent studies show that one in every 133 people in the United States has the disease.

What are the symptoms? Many patients complain of abdominal bloating. Many suffer from nausea, diarrhea, and even constipation. Other symptoms can include weight loss, gas, bone pain, anemia, fatigue, and muscle pain. Some patients develop an associated condition called dermatitis herpetiformis, an itchy, blistering skin condition that appears on the arms, legs, and sometimes the torso.

How is sprue/ceeliac disease diagnosed? Diagnosing sprue/ceeliac disease is difficult because many of the symptoms are similar to those of other disorders, such as irritable bowel syndrome, diverticular disease, intestinal infections, and ulcerative colitis.


Physicians look for evidence of sprue/ceeliac disease using tests to check blood levels of certain antibodies. Detection of anti-endomysial and anti-tissue transglutaminase antibodies are among two tests that produce positive results in 90 percent of people with sprue/ceeliac disease. Also, a biopsy may be

performed endoscopically to absolutely confirm the diagnosis. An endoscope is a small tube with a camera inside which is inserted through the mouth and stomach that allows the physician to see the small intestine and obtain a biopsy sample (See Figure 1). This sample is then examined under a microscope by a surgical pathologist, preferably one with subspecialty training in gastrointestinal pathology. The pathologist can confirm the diagnosis, evaluate the efficacy of treatment, and also ensure that no other abnormalities are present.


Since sprue/ceeliac disease is a hereditary disease, it is typically recommended that first-degree relatives (parents, siblings, and children) be tested for the disease.

How is sprue/ceeliac disease treated? Currently, there is no specific cure for sprue/ceeliac disease; however, by making a lifelong commitment to eating a gluten-free diet, patients can become symptom-free, and the lining of the intestines can return to normal. Since gluten protein may be present in many food items, it is prudent for patients to review their diet with their physician or a dietitian.

F I G U R E 1



The image at right shows inflammation and flattening of the surface lining of the small intestine (normally showing finger-like projections, or "villi").



SEE REVERSE SIDE

Sprue/Celiac Disease



C A R I S D I A G N O S T I C S H E A L T H I M P R O V E M E N T S E R I E S

ADDITIONAL RESOURCES:

Celiac Disease and Gluten-Free Resource:

www.celiac.com

Celiac Disease Foundation:

www.celiac.org

Celiac Sprue Association:

www.csaceliacs.org

Cancer Institute:

1.800.4.CANCER / www.cancer.gov

American College of Gastroenterology:

703.820.7400 / www.acg.gi.org/patients



8400 Esters Boulevard, Suite 190, Irving, Texas 75063

CarisDx.com 800.979.8292

This material is intended for patient education and information only. It does not constitute advice, nor should it be taken to suggest or replace professional medical care from your physician. Your treatment options may vary, depending upon medical history and current condition. Only your physician and you can determine your best option. Provided to you as a service by Caris Diagnostics, Inc. ©2008 Caris Diagnostics, Inc. All rights reserved. (01.08)

Caris Diagnostics provides academic-caliber GI and Dermatology anatomic pathology testing services to physicians who treat patients in an ambulatory setting. Its industry-leading team of fellowship and subspecialty trained pathologists provide the highest levels of service to its clinician customers and their patients through its state-of-the-art laboratories, ongoing educational activities, proprietary advanced clinical practice solutions, and rigorous quality assurance programs. In addition, CarisMPI provides advanced analysis of patient samples through prognostic testing services, genomic and proteomic profiling to help guide physicians in the treatment of cancer and other complex diseases. More than 1,500 physicians nationally send their patient's biopsies to Caris Diagnostics at our four laboratories: Irving, Texas; Phoenix, Arizona(2); and Newton, Massachusetts. Additional information is available at www.carisdx.com.

C A R I S D X . C O M

8 0 0 . 9 7 9 . 8 2 9 2